



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [www.dunp.it](http://www.dunp.it) | Verdict: **Compliant**

This audit evaluates the adherence level of [www.dunp.it](http://www.dunp.it) as of Tue Nov 14 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	7	1	88%

### Successful Elements

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="0" class="active bg-dark" aria-current="true" aria-label="Google Partner" title="agenzia Google Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="1" class="bg-dark" aria-label="Google Cloud partner" title="agenzia Google Cloud Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="2" class="bg-dark" aria-label="Google Workspace reseller" title="Google Workspace reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="3" class="bg-dark" aria-label="Chrome Enterprise" title="Chrome Enterprise reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="4" class="bg-dark" aria-label="Maps Platform" title="Maps Platform reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="5" class="bg-dark" aria-label="iubenda Gold Partner" title="agenzia iubenda Gold Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="6" class="bg-dark" aria-label="Aruba Business Partner" title="agenzia Aruba Business Partner" ></button>
```

### Failed Elements

```
<a href="#" class="iubenda-cs-preferences-link link-secondary link-underl  
ine-secondary link-offset-2-hover link-underline-opacity-0 link-underline  
-opacity-75-hover" style="cursor:pointer" title="Aggiorna le impostazioni  
di preferenza dei cookie" data...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	8	0	100%
---	---	-----	---	---	------

### Successful Elements

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="0" class="active bg-dark" aria-current="true" aria-label="Google Partne  
r" title="agenzia Google Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="1" class="bg-dark" aria-label="Google Cloud partner" title="agenzia Goo  
gle Cloud Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="2" class="bg-dark" aria-label="Google Workspace reseller" title="Google  
Workspace reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="3" class="bg-dark" aria-label="Chrome Enterprise" title="Chrome Enterpr  
ise reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="4" class="bg-dark" aria-label="Maps Platform" title="Maps Platform rese  
ller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="5" class="bg-dark" aria-label="iubenda Gold Partner" title="agenzia iub  
enda Gold Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to  
="6" class="bg-dark" aria-label="Aruba Business Partner" title="agenzia A  
ruba Business Partner" ></button>
```

```
<a href="#" class="iubenda-cs-preferences-link link-secondary link-underl  
ine-secondary link-offset-2-hover link-underline-opacity-0 link-underline  
-opacity-75-hover" style="cursor:pointer" title="Aggiorna le impostazioni  
di preferenza dei cookie" data...
```

- 3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

124

13

91%

### Successful Elements

```
<a class="navbar-brand ps-1 ps-lg-3" href="https://www.dunp.it" title="du  
np: Agenzia di Comunicazione Roma" > AGENZIA</a>
```

```
<a href="servizi" class="nav-link dropdown-toggle" id="menuServizi" data-  
bs-toggle="dropdown" aria-haspopup="true" aria-expanded="false" title="Se  
rvizi della nostra agenzia di comunicazione roma" >SERVIZI</a>
```

```
<a class="nav-link " href="https://www.dunp.it/progetti" title="Progetti  
dell'Agenzia di Comunicazione Roma - dunp" >PROGETTI</a>
```

```
<a class="nav-link " href="https://www.dunp.it/portfolio" title="Alcuni d  
ei nostri migliori Casi di Successo" >PORTFOLIO</a>
```

```
<a class="nav-link " href="https://www.dunp.it/blog" title="Blog e Podcas  
t: fuori e dentro il mondo della Comunicazione" >BLOG <span class="d-inli  
ne d-md-inline d-lg-none d-xl-inline">E PODCAST</span></a>
```

```
<a class="nav-link " href="https://www.dunp.it/contatti" title="Contattac  
i o vieni a trovarci in Agenzia" >CONTATTI</a>
```

```
<a href="agenzia-comunicazione-roma-digital-marketing" class="text-dark link-offset-2" title="dunp: agenzia di comunicazione e marketing" >agenzia di comunicazione roma</a>
```

```
<a href="agenzia-comunicazione-roma-digital-marketing" title="dunp: agenzia di comunicazione roma" class="btn btn-outline-dark rounded-pill w-100" >CHI SIAMO</a>
```

```
<a href="media-marketing" class="text-dark link-offset-2" title="servizi media e marketing" >media e marketing</a>
```

## Failed Elements

```
<a class="nav-link " href="https://www.dunp.it/cerca" title="Cerca su dunp.it con la potenza del motore di ricerca Google integrato" ><svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" viewBox="0 0 16 16"><path d="M11...
```

```
<a href="https://www.instagram.com/dunpcomunicazione/" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su Instagram" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox=...
```

```
<a href="https://www.facebook.com/dunpadvertising" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su Facebook" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox="0 0 ...
```

```
<a href="https://www.linkedin.com/company/dunp/" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su LinkedIn" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox="0 0 16...
```

```
<a href="https://www.tiktok.com/@dunpcomunicazione" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su TikTok" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" height="1em" fill="currentColor" viewBox="0 0 448 512"><p...
```

```
<a href="https://twitter.com/dunpadv" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su Twitter" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox="0 0 16 16"><path d...
```

```
<a href="https://www.youtube.com/c/dunpRoma" rel="noopener" class="mx-1 text-dark" target="_blank" title="Seguici su YouTube" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox="0 0 16 16">...
```

```
<a href="https://open.spotify.com/user/poixd2t7twcnvvl9wx3duta6u?si=0dhA0GQDQfCWuVfVc0lDlw" rel="noopener" class="mx-1 text-dark" target="_blank" title="Ascolta i podcast e le nostre playlist su Spotify" ><svg role="presentation" xmlns="http://www.w3..."
```

```
<a href="https://podcasts.google.com/feed/aHR0cHM6Ly9hbmNob3IuZm0vcy80ZDY5NzJjYy9wb2RjYXN0L3Jzcmw" rel="noopener" class="mx-1 text-dark" target="_blank" title="Ascolta il nostro Podcast su Google Podcast" ><svg role="presentation" xmlns="http://www.w3..."
```

```
<a href="https://podcasts.apple.com/us/podcast/dunpcast/id1554336216" rel="noopener" class="mx-1 text-dark" target="_blank" title="Ascolta il nostro Podcast su Apple Podcast" ><svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="24" height="29" fill="currentColor" viewBox="0 0 16 16">...
```

- 
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

54

1

98%

## Successful Elements

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.forbes.fr/mediasfrance/dunp-communication-peripherique/" target="_blank" title="Forbes:..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.ibs.it/libri/editori/dunp-edizioni" target="_blank" rel="noopener" title="IBS: Libri du..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="http://www.legacooplazio.it/dunp-ancora-piu-spazio-a-creativita-e-idee/" target="_blank" rel="noope..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.scuolafundraising.it/borse-di-studio-dunp-2019/" target="_blank" title="Scuola Fundrais..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.today.it/media/dunp-lancia-vivicreativo.html" target="_blank" rel="noopener" title="TOD..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://adworldmasters.com/agency/dunp-1/" target="_blank" rel="noopener" title="dunp - AD WORLD MA..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://martelive.it/partner/" target="_blank" rel="noopener" title="dunp - partner MArte Live" >MA...
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.agrpress.it/musica/dal-tramonto-all-appia-around-jazz-8532" target="_blank" rel="noopen..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://roma.corriere.it/notizie/cronaca/20_settembre_08/roma-dal-tramonto-all-appia-percorrendo-tu..."
```

```
<a class="display-2 fw-bold text-white link-offset-2 link-underline-light link-underline-opacity-0 link-underline-opacity-75-hover text-outline" href="https://www.hicmobile.com/" target="_blank" title="HIC MOBILE" aria-label="Visita HIC MOBILE" >HIC ...
```

## Failed Elements

```
<a href="https://goo.gl/maps/pUSJVBjzjbbppsSs5" target="_blank" rel="noopener" title="Sede Legale - Registered Office" class="link-dark link-underline-dark link-offset-2-hover link-underline-opacity-0 link-underline-opacity-75-hover" >L.go N. Franche...
```

users using screen-readers of what the

main topic of the page is and each page should have exactly one H1 title.

## Successful Elements

```
<h1>AGENZIA DI <b>COMUNICAZIONE</b> ROMA</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	42	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so	No	0	0	-



12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text	Yes	26	0	100%

contains, using the "alt" attribute.

## Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	4	6	36%
----	---	-----	---	---	-----

### Successful Elements

```
<span ></span>
```

```
<i class="fa-brands fa-tiktok" ></i>
```

### Failed Elements

```
<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" viewBox="0 0 16 16" ><path d="M11.742 10.344a6.5 6.5 0 1 0-1.397 1.398h-.001c.03.04.062.078.098.115l3.85 3.85a1 1 0 0 0 1.415-1.414l-3.85-3.85a1.007 1.007 0 0 0-.115-...."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" fill="currentColor" viewBox="0 0 16 16" ><path d="M3.654 1.328a6.78.678 0 0 0-1.015-.063L1.605 2.3c-.483.484-.661 1.169-.45 1.77a17.568 17.568 0 0 0 4.168 6.608 17.569 17.569 0 0 0 6.608 ..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" fill="currentColor" viewBox="0 0 16 16" ><path d="M13.601 2.326A7.854 7.854 0 0 0 7.994 0C3.627 0 .068 3.558.064 7.926c0 1.399.366 2.76 1.057 3.965L0 16l4.204-1.102a7.933 7.933 0 0 0 3.79..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" fill="currentColor" viewBox="0 0 16 16" ><path d="M2 2a2 2 0 0 0-2 2v8.01A2 2 0 0 0 2 14h5.5a.5.5 0 0 0 0-1H2a1 1 0 0 1-.966-.741l5.64-3.471L8 9.583l7-4.2V8.5a.5.5 0 0 0 1 0V4a2 2 0 0 0-2..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" fill="currentColor" viewBox="0 0 16 16" ><path d="M12.166 8.94c-.524 1.062-1.234 2.12-1.96 3.07A31.493 31.493 0 0 1 8 14.58a31.481 31.481 0 0 1-2.206-2.57c-.726-.95-1.436-2.008-1.96-3.07C...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="40" height="40" fill="currentColor" class="col-10 col-md-12 " viewBox="0 0 16 16" ><path d="M13.601 2.326A7.854 7.854 0 0 0 7.994 0C3.627 0 .068 3.558.064 7.926c0 1.399.366 2.76 1.057 3.965L0 16l4.204-1....
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-
25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers	No	0	0	-

---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---

---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	Pass	-	100%
----	---	-----	------	---	------

---

### Successful Elements

```
<div class="dropdown-menu bg-black rounded-0 border-0" aria-labelledby="menuServizi" > <a class="dropdown-item fs-5 mb-2" href="https://www.dunp.it/media-marketing" title="Servizi media e marketing" >media e marketing</a> ...
```

---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

---

### Successful Elements

```
<form method="post" action="." onsubmit="javascript:return WebForm_OnSubmit();" id="ctl00"> <div class="aspNetHidden" > <input type="hidden" name="__EVENTTARGET" id="__EVENTTARGET" value="" > <input type="hidden" name="__EVENTARGUMENT" id="__EVENTAR...
```

---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	Fail	-	-
----	---	----	------	---	---

---

### Failed Elements

```
<form method="post" action="." onsubmit="javascript:return WebForm_OnSubmit();" id="ctl00"> <div class="aspNetHidden" > <input type="hidden" name="__EVENTTARGET" id="__EVENTTARGET" value="" > <input type="hidden" name="__EVENTARGUMENT" id="__EVENTAR...
```

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

### Successful Elements

```
<title>Agenzia di Comunicazione Roma | dunn | Web Marketing Adv</title>
```

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

### Successful Elements

```
<html lang="it-IT" class="no-js"><!--<![endif]--><head> <meta charset="utf-8"> <meta http-equiv="x-ua-compatible" content="ie=edge"> <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no"> <title>Agenzia di Comunica...
```

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

### Successful Elements

```
<main id="butter" style="position: fixed; width: 100%; transform: translate3d(0px, -0.76px, 0px);"> <section class="container-fluid bg-black g-0 mt-5"> <div class="row justify-content-end align-items-center g-0 row-height"> <div class="col-...
```

```
<footer class="container-fluid py-5 border-top"> <div class="container"> <div class="row align-items-center"> <div class="col-12 col-lg-10 px-1 px-lg-3"> <p class="h3">AGENZIA</a>
```

```
<a href="servizi" class="nav-link dropdown-toggle" id="menuServizi" data-bs-toggle="dropdown" aria-haspopup="true" aria-expanded="false" title="Servizi della nostra agenzia di comunicazione roma" >SERVIZI</a>
```

```
<a class="nav-link " href="https://www.dunp.it/progetti" title="Progetti dell'Agenzia di Comunicazione Roma - dunp" >PROGETTI</a>
```

```
<a class="nav-link " href="https://www.dunp.it/portfolio" title="Alcuni dei nostri migliori Casi di Successo" >PORTFOLIO</a>
```

```
<a class="nav-link " href="https://www.dunp.it/blog" title="Blog e Podcast: fuori e dentro il mondo della Comunicazione" >BLOG <span class="d-inline d-md-inline d-lg-none d-xl-inline">E PODCAST</span></a>
```

```
<span class="d-inline d-md-inline d-lg-none d-xl-inline">E PODCAST</span>
```

```
<a class="nav-link " href="https://www.dunp.it/contatti" title="Contattaci o vieni a trovarci in Agenzia" >CONTATTI</a>
```

```
<span class="hero-a">RESPIRA.</span>
```

```
<span class="hero-b">LASCIA SPAZIO</span>
```

```
<li>ALL'<b>IMMAGINAZIONE</b></li>
```

## Failed Elements

```
<video autoplay="" loop="" muted="" playsinline="" width="100%" poster="img/facades-dunp.webp" class="object-fit-contain" style="width:100%;height:auto;" title="respira, lascia spazio a nuove idee"> <source src="video-dunp.mp4" type="...">
```

```
<h1>AGENZIA DI <b>COMUNICAZIONE</b> ROMA</h1>
```

```
<b>COMUNICAZIONE</b>
```



```
<p><b>dunp</b> <a href="agenzia-comunicazione-roma-digital-marketing" class="text-dark link-offset-2" title="dunp: agenzia di comunicazione e marketing" >agenzia di comunicazione roma</a> nata nel 2009 che lavora con imprenditori, startup, piccola e ...
```

```
<b>dunp</b>
```

```
<a href="agenzia-comunicazione-roma-digital-marketing" class="text-dark link-offset-2" title="dunp: agenzia di comunicazione e marketing" >agenzia di comunicazione roma</a>
```

```
<p><b>Agenzia di marketing, agenzia pubblicitaria, agenzia di consulenza su bandi e contributi e web agency 2.0</b>: all'interno di dunp lavorano professionisti con esperienza decennale capaci di realizzare progetti digitali su misura in base a obiet...
```

```
<b>Agenzia di marketing, agenzia pubblicitaria, agenzia di consulenza su bandi e contributi e web agency 2.0</b>
```

```
<b>La comunicazione è condivisione di idee, strategie e punti di vista: non lavoriamo per le persone, ma con le persone.</b>
```

```
<a href="agenzia-comunicazione-roma-digital-marketing" title="dunp: agenzia di comunicazione roma" class="btn btn-outline-dark rounded-pill w-100" >CHI SIAMO</a>
```

---

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	10	0	100%
----	---	-----	----	---	------

## Successful Elements

```
<button type="button" role="presentation" class="owl-prev" ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="presentation" class="owl-next" ><span aria-label="Next" ></span></button>
```

---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	7	0	100%
----	---	-----	---	---	------

### Successful Elements

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="0" class="active bg-dark" aria-current="true" aria-label="Google Partner" title="agenzia Google Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="1" class="bg-dark" aria-label="Google Cloud partner" title="agenzia Google Cloud Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="2" class="bg-dark" aria-label="Google Workspace reseller" title="Google Workspace reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="3" class="bg-dark" aria-label="Chrome Enterprise" title="Chrome Enterprise reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="4" class="bg-dark" aria-label="Maps Platform" title="Maps Platform reseller" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="5" class="bg-dark" aria-label="iubenda Gold Partner" title="agenzia iubenda Gold Partner" ></button>
```

```
<button type="button" data-bs-target="#certificazioni" data-bs-slide-to="6" class="bg-dark" aria-label="Aruba Business Partner" title="agenzia Aruba Business Partner" ></button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-

48	Making use of an accessibility interface	No	0	0	-
----	--	----	---	---	---

helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.

---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
----	---	----	---	---	---